

学生信息	第一部分：学习成绩 (二年级评选时占60%，三年级评选时占30%)		第二部分： 科研成果与创新能力培养折算分 (无封顶满分，二年级评选时权重为30%，三年级评选时权重为60%)	第三部分： 社会工作能力及日常表现，即综合表现素质得分 (满分120分，占10%)
	总GPA成绩100		此第一部分科研成果与创新能力培养折算分汇总	此第二部分综合素质得分汇总
学号	1-1 全部课程总 GPA	此第一部分即全部课程成绩折算分(*25)	此第二部分科研成果与创新能力培养折算分汇总	此第三部分综合素质得分汇总 120
2019410014	3.2	80.00	0	4.84
2019410015	3.31	82.75	264	13.09
2019410016	3.57	89.25	160	4.70
2019410017	3.19	79.75	0	4.70
2019410018	3.33	83.25	0	3.30
2020400204	3.23	80.75	0	4.50
2020400205	3	75.00	420	7.50
2020400228	3.44	86.00	60	10.45
2020400229	3.23	80.75	0	9.40
2020400231	3.16	79.00	0	1.80
2020410026	3.47	86.75	0	-4.50
2020410027	3.45	86.25	0	14.24
2020410028	3.42	85.50	0	7.50
2020410029	3.42	85.50	0	4.84
2020410030	3.16	79.00	0	18.61
2020410031	3.4	85.00	0	7.84
2020410032	3.43	85.75	50	6.00
2020410033	3.49	87.25	0	4.50
2020410034	3.59	89.75	0	9.55
2020410035	3.4	85.00	0	2.30
2021200838	3.16	79.00	70	11.41
2021200839	3.38	84.50	60	28.22
2021200840	3.35	83.75	80	39.77
2021200841	3.27	81.75	59	14.18
2021200842	3.36	84.00	108	16.04
2021200843	3.33	83.25	58	19.13
2021200844	3.27	81.75	61	9.77
2021200845	2.85	71.25	54	11.38
2021200846	3.41	85.25	66	16.16
2021200847	3.27	81.75	0	11.09
2021200848	3.12	78.00	50	8.98
2021200849	3.45	86.25	65	9.37
2021200850	3.29	82.25	50	11.28
2021200851	3.34	83.50	70	5.19
2021200852	2.73	68.25	70	9.82
2021200853	3.38	84.50	58	12.10
2021200854	3.15	78.75	61	15.59
2021200855	3.44	86.00	60	12.57

2021200856	3.59	89.75	60	25.03
2021200857	3.09	77.25	50	13.38
2021200858	3.29	82.25	60	20.74
2021200859	3.4	85.00	60	18.84
2021200860	3.15	78.75	60	23.80
2021200861	3.51	87.75	60	10.28
2021200863	2.8	70.00	60	19.28
2021200864	3.3	82.50	58	11.94
2021200865	3.12	78.00	60	10.78
2021200866	3.29	82.25	0	10.03
2021200867	3.38	84.50	60	18.82
2021200868	3.62	90.50	60	11.80
2021200869	3.41	85.25	50	9.93
2021200870	3.14	78.50	60	11.52
2021200871	3.38	84.50	60	11.31
2021200872	3.62	90.50	110	22.16
2021200873	3.62	90.50	140	11.98
2021200874	3.33	83.25	52	11.14
2021200875	3.22	80.50	60	17.40
2021200876	3.55	88.75	50	10.46
2021200877	3.34	83.50	60	11.68
2021200878	3.38	84.50	58	11.35
2021200879	3.13	78.25	58	11.80
2021200880	3.3	82.50	80	11.84
2021200881	3.21	80.25	50	16.84
2021200882	3.22	80.50	63	17.72
2021200883	3.25	81.25	0	18.66
2021200884	3.45	86.25	50	10.46
2021200885	3.34	83.50	60	13.61
2021200886	3.15	78.75	0	18.95
2021200887	3.63	90.75	60	21.47
2021200888	3.5	87.50	0	19.80
2021200889	3.21	80.25	0	17.88
2021200890	3.23	80.75	0	22.70
2021200891	2.89	72.25	53	14.80
2021200892	3.03	75.75	0	15.34
2021200893	3.27	81.75	80	12.40
2021200894	3.24	81.00	154	16.41
2021200896	3.3	82.50	140	11.27
2021200897	3.45	86.25	100	11.24
2021200898	3.19	79.75	0	10.64
2021200899	3	75.00	60	10.00
2021200901	3.38	84.50	60	10.88
2021200903	3.07	76.75	59	17.17
2021200904	3.2	80.00	95	15.92
2021200905	3.31	82.75	93	11.98
2021200906	3.48	87.00	50	17.84
2021200907	3.51	87.75	60	12.08
2021200908	3.26	81.50	0	14.49

2021200910	3.41	85.25	60	16.25
2021200911	3.39	84.75	60	28.78
2021200912	3.41	85.25	59	16.73
2021200913	3.28	82.00	60	19.78
2021200914	3.68	92.00	0	16.99
2021200915	3.74	93.50	0	11.10
2021200916	3.47	86.75	60	8.74
2021200917	3.1	77.50	58	18.74
2021200918	3.34	83.50	75	15.72
2021200920	3.48	87.00	60	7.82
2021200921	3.06	76.50	60	14.74
2021200922	3.56	89.00	355	7.29
2021200923	3.42	85.50	-50	26.80
2021200924	3.47	86.75	58	7.42
2021200925	3.45	86.25	0	10.68
2021200926	2.82	70.50	50	9.72
2021200927	3.42	85.50	60	12.31
2021200929	3.18	79.50	60	8.92
2021200930	3.66	91.50	0	6.79
2021200931	3.33	83.25	0	20.23
2021200932	2.98	74.50	60	8.92
2021200933	3.22	80.50	101	7.81
2021200934	3.45	86.25	0	7.42
2021200935	3.5	87.50	106	12.03
2021200936	3.39	84.75	55	7.42
2021200937	3.14	78.50	51	7.40
2021200938	3.22	80.50	100	7.29
2021200939	3.39	84.75	53	6.79
2021200940	3.1	77.50	0	6.79
2021200941	3.01	75.25	50	-4.21
2021200942	3.22	80.50	51	26.58
2021200943	3.29	82.25	53	9.82
2021200944	3.51	87.75	270	11.24
2021200945	3.68	92.00	60	10.94
2021200946	3	75.00	51	9.46
2021200947	3.45	86.25	0	17.80
2021200948	3.36	84.00	65	28.36
2021200949	3.31	82.75	0	19.95
2021200950	3.39	84.75	60	16.96
2021200951	3.48	87.00	60	23.71
2021200952	3.33	83.25	60	8.77
2021200953	3.57	89.25	50	18.87
2021200954	3.48	87.00	0	16.89
2021200955	3.44	86.00	60	8.35
2021200956	3.19	79.75	0	7.72
2021200957	3.24	81.00	0	14.30
2021200959	3.21	80.25	60	15.53
2021200960	3.17	79.25	50	8.47
2021200961	3.41	85.25	52	8.80

2021200962	3.44	86.00	59	10.27
2021200963	3.21	80.25	60	19.15
2021200964	3.53	88.25	54	10.34
2021200965	3.23	80.75	0	6.40
2021200966	3.15	78.75	0	9.90
2021200967	3.56	89.00	50	15.00
2021200968	3.58	89.50	55	8.34
2021200969	3.37	84.25	0	17.25
2021200970	3.48	87.00	82	16.63
2021200971	3.13	78.25	0	15.98
2021200972	3.58	89.50	60.5	14.41
2021200973	3.59	89.75	60	10.99
2021200974	3.41	85.25	0	9.56
2021200975	3.27	81.75	60	11.57
2021200976	3.06	76.50	0	5.72
2021200977	3.2	80.00	60	19.51
2021200978	3.56	89.00	60	13.71
2021200979	3.31	82.75	60	15.84
2021200980	3.26	81.50	67	9.03
2021200981	3.27	81.75	60	6.29
2021200982	3.37	84.25	0	8.80
2021200983	3.44	86.00	50	8.32
2021200984	3.28	82.00	60	8.97
2021200985	3.48	87.00	60	8.26
2021200986	3.25	81.25	0	7.32
2021200987	3.01	75.25	50	6.48
2021200988	3.54	88.50	60	7.51
2021200989	3.41	85.25	50	12.71
2021200990	3.58	89.50	0	9.71
2021200991	3.25	81.25	60	27.44
2021200992	3.27	81.75	10	6.03
2021200993	3.47	86.75	58	20.11
2021200994	3.19	79.75	50	13.12
2021200995	3.21	80.25	55	18.53
2021200996	3.45	86.25	70	5.77
2021200997	3.19	79.75	60	13.67
2021200998	3.67	91.75	60	16.17
2021200999	3.18	79.50	50	11.43
2021201000	3.52	88.00	60	21.92
2021201001	3.35	83.75	63	26.86
2021201002	3.61	90.25	60	15.60
2021201003	3.35	83.75	60	11.14
2021201004	3.57	89.25	60	19.10
2021201005	3.52	88.00	50	14.10
2021201006	3.33	83.25	60	10.42
2021201007	3.39	84.75	60	9.52
2021201008	3.16	79.00	60	6.37
2021201009	3.39	84.75	-50	19.88
2021201010	3.32	83.00	0	5.34

2021210557	3.44	86.00	60	28.38
2021210558	3.18	79.50	50	14.45
2021210559	3.22	80.50	60	16.14
2021210560	3.3	82.50	70	16.40
2021210561	3.12	78.00	51	21.23
2021210562	2.93	73.25	50	22.62
2021210563	3.26	81.50	60	23.84
2021210564	3.17	79.25	60	16.60
2021210565	3.06	76.50	80	23.14
2021210566	3.28	82.00	60	33.51
2021210567	2.74	68.50	60	16.33
2021210568	3.3	82.50	60	18.45
2021210569	3.3	82.50	90	16.88
2021210570	3.15	78.75	70	33.61
2021210571	3.12	78.00	69	25.58
2021210572	3.26	81.50	59	18.77
2021210573	3.21	80.25	60	18.55
2021210574	3.27	81.75	60	28.49
2021210575	3.12	78.00	50	22.65
2021210576	3.56	89.00	50	15.72
2021210577	3.4	85.00	280	16.36
2021210578	3.4	85.00	60	43.02
2021210579	3.01	75.25	60	25.07
2021210580	3.24	81.00	70	17.80
2021210581	3.18	79.50	50	17.09
2021210582	3.03	75.75	70	16.80
2021210584	3.21	80.25	60	24.49
2021210585	3.49	87.25	75	12.46
2021210586	3.47	86.75	60	30.32
2021210587	3.54	88.50	60	25.24
2021210588	3.18	79.50	255	18.11
2021210589	3.58	89.50	60	22.32
2021210590	3.42	85.50	56	19.82
2021210591	3.18	79.50	260	61.82
2021210592	3.37	84.25	60	15.02
2021210593	3.32	83.00	420	20.45
2021210594	3.16	79.00	60	52.95
2021210595	3.34	83.50	60	52.13
2021210596	3.16	79.00	60	27.88
2021210597	3.41	85.25	61.5	14.19
2021210598	3.37	84.25	60	27.18
2021210599	3.16	79.00	60	14.11
2021210600	3.09	77.25	85	10.51
2021210601	3.3	82.50	70	14.48
2021210602	3.08	77.00	59	26.04
2021210603	3.24	81.00	220	25.21
2021210604	3.11	77.75	170	16.98
2021210606	3.31	82.75	100	17.50
2021210607	3.35	83.75	100	14.68

2021210608	3.17	79.25	60	17.89
2021210609	3.45	86.25	60	14.46
2021210610	3.47	86.75	135	14.44
2021210611	3.09	77.25	51	13.84
2021210612	3.17	79.25	52	15.61
2021210613	3.38	84.50	160	10.20
2021210614	3.14	78.50	60	13.87
2021210615	3.19	79.75	51	8.30
2021210616	3.44	86.00	60	14.74
2021210617	3.42	85.50	60	7.44
2021210618	3.35	83.75	0	13.07
2021210619	3.23	80.75	55	18.95
2021210620	3.46	86.50	260	18.40
2021210621	3.17	79.25	67	18.69
2021210622	3.3	82.50	60	18.44
2021210623	2.85	71.25	53	7.99
2021210624	3.04	76.00	55	9.11
2021210625	3.7	92.50	60	16.96
2021210626	3.07	76.75	50	24.47
2021210627	3.39	84.75	65	16.04
2021210628	2.87	71.75	51	14.57
2021210629	2.73	68.25	0	6.20
2021210630	2.85	71.25	60	6.20
2021210631	2.98	74.50	59	8.16
2021210632	3.16	79.00	0	8.58
2021210633	3	75.00	50	11.61
2021210634	3.19	79.75	50	9.72
2021210635	3.12	78.00	50	9.30
2021210636	3.35	83.75	60	10.73
2021210637	3.1	77.50	60	18.09
2021210638	3.31	82.75	56	17.66
2021210639	3	75.00	50	6.31
2021210640	3.51	87.75	60	15.10
2021210641	2.85	71.25	0	14.16
2021210642	3.05	76.25	55	13.27
2021210643	3.19	79.75	64	24.92
2021210644	3.41	85.25	60	21.41
2021210645	3.08	77.00	65	20.05
2021210646	3.35	83.75	60	12.80
2021210647	3.18	79.50	0	13.60
2021210648	3.02	75.50	52	18.17
2021210649	3.07	76.75	61	22.52
2021210650	2.96	74.00	0	1.74
2021210651	3.07	76.75	60	24.66
2021210652	2.75	68.75	55	13.51
2021210653	3.24	81.00	60	21.47
2021210654	3.17	79.25	60	5.61
2021210655	3.21	80.25	65	13.16
2021210656	3.28	82.00	60	30.77

2021210657	3.01	75.25	60	26.74
2021210658	3.28	82.00	60	19.89
2021210659	3.07	76.75	60	14.02
2021210660	3.19	79.75	59	22.58
2021210661	3.65	91.25	110	19.56
2021210662	3.59	89.75	60	21.64
2021210663	3.26	81.50	60	24.68
2021210664	3.28	82.00	59	17.93
2021210665	3.09	77.25	54	15.88
2021210666	3.16	79.00	75	15.21
2021210667	3.05	76.25	61	47.29
2021400231	3.23	80.75	0	16.63
2021400232	3.38	84.50	0	31.71
2021400233	3.29	82.25	59	9.55
2021400234	3.22	80.50	0	7.50
2021400235	3.22	80.50	0	2.30
2021400236	3.41	85.25	0	18.56
2021400237	3.19	79.75	100	7.30
2021400238	3.21	80.25	0	8.14
2021400239	3.64	91.00	59	16.09
2021400240	3.2	80.00	129	12.37
2021400241	3.08	77.00	0	7.37
2021400242	3.25	81.25	0	2.30
2021400243	3.33	83.25	50	7.00
2021400244	3.45	86.25	133	11.50
2021400245	3.2	80.00	250	2.30
2021400247	3.71	92.75	52	32.47
2021400248	3.15	78.75	0	7.48
2021400249	3.25	81.25	0	1.80
2021400250	3.73	93.25	60	20.64
2021400251	3.28	82.00	263	7.90
2021400252	3.26	81.50	50	11.55
2021400253	3.45	86.25	0	8.53
2021400254	3.16	79.00	0	16.32
2021400255	3.66	91.50	0	10.85
2021400256	3.16	79.00	0	2.30
2021400257	3.26	81.50	270	16.97
2021400258	3.2	80.00	0	1.80
2021400259	3.24	81.00	0	22.48
2021400260	3.47	86.75	0	2.30
2021400261	3.11	77.75	0	3.30
2021400262	3.36	84.00	52	9.84
2021400263	3.32	83.00	0	4.70
2021400264	3.46	86.50	0	23.11
2021400265	2.96	74.00	0	19.11
2021400267	3.39	84.75	0	22.61
2021400268	3.34	83.50	270	10.45
2021400269	3.3	82.50	0	1.80
2021400270	3.4	85.00	0	10.04

2021400271	3.26	81.50	0	25.91
2021400272	3.54	88.50	0	7.37
2021400273	3.5	87.50	50	19.50
2021400274	3.46	86.50	260	17.37
2021400275	3.26	81.50	56	7.57
2021400276	3.15	78.75	50	-0.96
2021400277	3.63	90.75	66	9.89
2021400278	3.4	85.00	0	13.41
2021410021	3.36	84.00	70	9.66
2021410022	3.23	80.75	0	10.04
2021410023	3.32	83.00	0	4.70
2021410024	3.23	80.75	0	-10.20
2021410025	3.3	82.50	89	28.71
2021410026	3.3	82.50	100	10.85
2021410027	3.48	87.00	0	4.00
2021410028	3.24	81.00	0	9.64